

PERRY JOHNSON LABORATORY ACCREDITATION, INC.

Certificate of Accreditation

Perry Johnson Laboratory Accreditation, Inc., has assessed the Laboratory of:

***Certified Test Equipment, Inc.
708 Cooper Dr
Wylie, TX 75098-3949***

(Hereinafter called the Organization) and hereby declares that Organization is accredited in accordance with the recognized International Standard:

ISO/IEC 17025: 2005

This accreditation demonstrates technical competence for a defined scope and the operation of a laboratory quality management system (as outlined by the joint ISO-FLAC-IAF Communiqué dated January 2009):

***Mechanical and Thermodynamic Calibration
(As detailed in the supplement)***

Such testing and/or calibration services shall only be offered at or from the address given above. This Accreditation is granted subject to the system rules governing the Accreditation referred to above, and the Organization hereby covenants with the Accreditation body's duty to observe and comply with the said rules.

For PJLA:

The validity of this certificate is mandated through ongoing surveillance.

Tracy Szerszen
President/Operations Manager

Perry Johnson Laboratory
Accreditation, Inc. (PJLA)
26555 Evergreen, Suite 1325
Southfield, Michigan 48076

Initial Accreditation Date:

April 14, 2004

Issue Date:

July 07, 2008

Revision Date:

January 30, 2009

Expiration Date:

July 06, 2010

Accreditation No.

59237

Certificate No.

L08-46-R2

Page No.

Page 1 of 2

Certificate of Accreditation: Supplement

Certified Test Equipment, Inc.

708 Cooper Dr
Wylie, TX 75098-3949

Accreditation is granted to this facility to perform the following calibrations:

Mechanical

MEASURED INSTRUMENT, QUANTITY OR GAUGE	RANGE (AND SPECIFICATION WHERE APPROPRIATE)	BEST MEASUREMENT CAPABILITY EXPRESSED AS AN UNCERTAINTY (\pm)	REMARKS
Flow air & water	0.00803 L/s	1 % of full scale	
Force	0.009 86 N to 444.822 N	0.05 % of full scale	
	449.270 N to 2 224.111 N	0.06 % of full scale	
	2 228.559 N to 22 241.111 N	0.1 % of full scale	
	22 245.56 N to 44 482.224 N	0.2 % of full scale	

Thermodynamic

MEASURED INSTRUMENT, QUANTITY OR GAUGE	RANGE (AND SPECIFICATION WHERE APPROPRIATE)	BEST MEASUREMENT CAPABILITY EXPRESSED AS AN UNCERTAINTY (\pm)	REMARKS
Temperature	0 °C to 250 °C	0.2 °C	

1. Remarks: This column shall include pertinent information about the calibration of the Measured Instrument or parameter. The information should include the type of standards used and any pertinent information about the measurement method. This column is not to be used for commercial advertisement of laboratory services.