



PERRY JOHNSON LABORATORY ACCREDITATION, INC.

Certificate of Accreditation

Perry Johnson Laboratory Accreditation, Inc., has assessed the Laboratory of:

**Assurance Technologies, Inc.
1251 Humbracht Circle, Unit A
Bartlett, IL 60103**

(Hereinafter called the Organization) and hereby declares that Organization is accredited in accordance with the recognized International Standard:

ISO/IEC 17025: 2005

This accreditation demonstrates technical competence for a defined scope and the operation of a laboratory quality management system (as outlined by the joint ISO-ILAC-IAF Communiqué dated January 2009):

**Dimensional Measurements
(As detailed in the supplement)**

Such testing and/or calibration services shall only be offered at or from the address given above. This Accreditation is granted subject to the system rules governing the Accreditation referred to above, and the Organization hereby covenants with the Accreditation body's duty to observe and comply with the said rules.

For PJLA:

A handwritten signature in black ink, appearing to read 'Tracy Szerszen', is written over a horizontal line.

The validity of this certificate is mandated through ongoing surveillance.

Tracy Szerszen
President/Operations Manager
Perry Johnson Laboratory
Accreditation, Inc. (PJLA)
26555 Evergreen, Suite 1325
Southfield, Michigan 48076

Initial Accreditation Date:
October 01, 2005

Accreditation No.:
59361

Issue Date:
October 27, 2009

Certificate No.:
L09-102

Expiration Date:
October 26, 2011

Page No.:
Page 1 of 2



Certificate of Accreditation: Supplement

Assurance Technologies, Inc.
1251 Humbracht Circle, Unit A
Bartlett, IL 60103

Accreditation is granted to this facility to perform the following testing:

FIELD OF TEST	ITEMS, MATERIALS OR PRODUCTS TESTED	SPECIFIC TESTS OR PROPERTIES MEASURED	SPECIFICATION, STANDARD METHOD OR TECHNIQUE USED	RANGE (WHERE APPROPRIATE) AND DETECTION LIMIT
Dimensional Inspection	Customer Supplied Product	Mechanical Inspection and Testing	OEM Instructions ANSI/ASME Y14.5-2009	0 in to 36 in (0 mm to 914.4mm) 3.937 μ in (0.1 μ m)