



PERRY JOHNSON LABORATORY ACCREDITATION, INC.

Certificate of Accreditation

Perry Johnson Laboratory Accreditation, Inc. has assessed the Laboratory of:

NY Environmental & Analytical Laboratories
88 Harbor Road, Port Washington, NY 11050

(Hereinafter called the Organization) and hereby declares that Organization is accredited in accordance with the recognized International Standard:

ISO/IEC 17025:2017
EPA NLLAP-LQSR Revision 3.0

This accreditation demonstrates technical competence for a defined scope and the operation of a laboratory quality management system (as outlined by the joint ISO-ILAC-IAF Communiqué dated April 2017):

Chemical Testing
(As detailed in the supplement)

Accreditation claims for such testing and/or calibration services shall only be made from addresses referenced within this certificate. This Accreditation is granted subject to the system rules governing the Accreditation referred to above, and the Organization hereby covenants with the Accreditation body's duty to observe and comply with the said rules.

For PJLA:

Tracy Szerszen
President

Initial Accreditation Date:

July 19, 2022

Issue Date:

July 19, 2022

Expiration Date:

August 31, 2024

Revision Date:

February 28, 2023

Accreditation No.:

118360

Certificate No.:

L22-501-R1

The validity of this certificate is maintained through ongoing assessments based on a continuous accreditation cycle. The validity of this certificate should be confirmed through the PJLA website: www.pjllabs.com

Perry Johnson Laboratory
Accreditation, Inc. (PJLA)
755 W. Big Beaver, Suite 1325
Troy, Michigan 48084



Certificate of Accreditation: Supplement
 ISO/IEC 17025:2005 EPA NLLAP-LQSR Revision 3.0

NY Environmental & Analytical Laboratories, Inc.

88 Harbor Road, Port Washington, NY 11050
 Contact Name: Mr. Verne Tsang Phone: 516-944-9500

Accreditation is granted to the facility to perform the following testing:

FIELD OF TEST	ITEMS, MATERIALS OR PRODUCTS TESTED	SPECIFIC TESTS OR PROPERTIES MEASURED	SPECIFICATION, STANDARD METHOD OR TECHNIQUE USED	RANGE (WHERE APPROPRIATE) AND DETECTION LIMIT
Chemical ^F	Paint Chips	Lead	EPA 3050 B EPA 6010D ASTM E1979-17 Hot Block Flame AA ICP Ultrasonic Bath	D.L.= 0.001%
	Clearance Dust Wipes		EPA 6010D (ICP) ASTM E1979-17 (Ultrasonic Bath) EPA 7000B (Flame AA)	D.L = 2.5 µg/ft ²

1. The presence of a superscript F means that the laboratory performs testing of the indicated parameter at its fixed location. Example: Outside Micrometer ^F would mean that the laboratory performs this testing at its fixed location.

